

HUDSON VALLEY NEUROSURGICAL ASSOCIATES, LLC

222 Route 59
Suite 205
Suffern, New York 10901
914-368-0286
fax: 914-366-1653

Daniel E. Spitzer, M.D. *
Jeffrey S. Oppenheim, M.D. *
David H. Segal, M.D.

30 Matthews Street
Suite 302
Goshen, New York 10924
914-291-7225
fax: 914-291-7138

8698 '99 DEC 16 P2:44

December 6, 1999

Document Management Branch
HFA-305
Food & Drug Administration
5630 Fishers Lane
Comment Room 1061
Rockville, MD 20852

Re: Docket #97N-484S

Dear Sirs:



I'd like to offer my comment on the recent proposal, as published in the Federal Register, to regulate **allograft** bone tissue as a medical device.

This **will have** a tremendous chilling **effect on the quality of patient** care in this country. In my practice, we utilize **allograft** bone to strengthen fusions, and to shorten surgical procedures, as well as providing better outcome. By using allograft bone rather than **autograft** bone, obtained from the **patient** himself, we save the patient significant hardship, pain, suffering, and shorten the surgical procedure. The complication rate at bone graft donor sites is not insignificant, and the use of **allograft** bone completely eliminates this potential complication.

I have been using allograft bone routinely for over 10 years, and have never had a complication related to the allograft bone.

I therefore strongly object to the proposal, as published in the Federal Register on September 30, to **allow the** FDA to regulate allograft bone as a medical device.

Sincerely yours,


Daniel Spitzer, MD
DS:bs 


97N-484S

C138

* Diplomate American Board of Neurological Surgeons

Columbia Presbyterian Medical Center Nyack Hospital Good Samaritan Hospital
Horton Hospital Arden Hill Hospital St. Anthony Community Hospital

HUDSON VALLEY NEUROSURGICAL ASSOCIATES, LLC
222 Route 59 • Suite 205
Suffern, New York 10901



Document Management Branch
HFA-305
Food & Drug Administration
5630 Fishers Lane
Comment Room 1061
Rockville, MD 20852

20857X0001

